



GOVERNMENT OF ANDHRA PRADESH

SEASON AND CROP COVERAGE REPORT

RABI 2019-20

UPTO THE WEEK ENDING 19/02/2020

1. Rainfall.....	} 1
2. Water levels in major reservoirs	
3. Crop Sowings.....	} 2
4. Pests & Diseases	
5. Rainfall - Annexure	3
6. District/crop-wise area sown - Annexures	4



**COMMISSIONERATE OF AGRICULTURE
ANDHRA PRADESH, GUNTUR
(Statistics section)**

SEASON AND CROP COVERAGE (RABI 2019-20 SEASON)

1. WEATHER CONDITIONS

1.1. South-West Monsoon: The South-West Monsoon is crucial for the Agriculture Sector. The IMD has announced that the South-West Monsoon has arrived over Kerala on 8th June, 2019. Onset of South-West Monsoon over Andhra Pradesh on 21st June, 2019 and covered entire Andhra Pradesh by 22nd June, 2019.

North-East Monsoon: North-East Monsoon rains commenced over Tamilnadu and adjoining areas of Andhra Pradesh, Karnataka and Kerala on 16th October, 2019.

Mainly Dry weather likely to prevail over coastal Andhra Pradesh and Rayalaseema districts.

(Rainfall in mm)

Season	Season Normal	Normal As on date	Actual Rainfall (mm)			% deviation to Normal as on date	Status
			2017	2018	2019		
South-West Monsoon (from June to September)	556.0	556.0	567.1	456.7	532.8	-4.2	Normal
North-East Monsoon (from October to December)	296.0	296.0	177.6	124.1	245.8	-17.0	Normal
Winter Period (from 01.01.2020 to 19.02.2020)	15.8	12.8	1.4	9.2	19.9	55	Excess

Overall, the average rainfall received in Andhra Pradesh from 1-6-2019 to 19-02-2020 is recorded as 798.5 mm as against the Normal as on date of 864.8 mm showing by Normal -7.7 percent.

1.2. District wise Rainfall:

The district wise rainfall from 1.6.2019 to 19.02.2020 is presented in **Annexure-I**.

Status and deviation of Rainfall during the period from 1.6.2019 to 19.02.2020 is presented below:

S.No	Districts	No.of districts	Status & deviation
1	----- Nil -----	0	Excess (20% & above)
2	All districts	13	Normal (+19% to -19%)
3	----- Nil -----	0	Deficit (-20% to -59%)
4	----- Nil -----	0	Scanty (-60% to -99%)
5	----- Nil -----	0	No rain (-100%)

WATER LEVELS IN MAJOR RESERVOIRS

All the Major reservoirs are holding 556.13 tmc as on 19-02-2020, by this time last year, the level had stood at 312.33 tmc. The water levels in all major reservoirs as on **19-02-2020** are furnished hereunder.

Reservoir	Full level (in feet)	Reservoir level (in feet)		Storage in TMC		Flow(in cusecs)	
		Last year	This year	Last year	This year	Average Inflows of last 24 hrs	Average Outflows of last 24 hrs
Almatti	1705.0	1682.8	*1689.96	48.1	66.0	0	14109
Narayanapur	1615.0	1598.7	*1611.75	18.7	33.2	11923	10302
Ujjaini	1630.0	1615.9	1626.4	74.8	104.6	0	8343
Jurala	1045.0	1030.6	1042.2	3.0	8.0	1617	957
Tungabhadra	1633.0	1596.6	1610.5	15.8	36.1	0	8342
Srisailam	885.0	832.4	865.1	52.1	122.7	0	12658
Nagarjuna Sagar	590.0	530.4	546.0	168.9	201.1	9778	22301
Pulichintala	175.0	116.3	157.5	3.0	22.8	0	2500
Jaikwadi	1522.0	1498.4	1518.4	32.9	88.5	0	1617
Singur	1717.9	1680.4	1678.9	1.5	1.4	0	65
Nizam Sagar	1405.0	1376.5	1387.7	0.9	3.2	0	280
Sri Ram Sagar	1091.0	1067.5	1082.4	24.5	59.2	0	7766
Mid Manair Reservoir	1043.3	997.4	1040.2	4.4	25.1	9923	6559
Lower Manair Dam	920.0	895.2	900.9	8.0	10.7	5894	269
Kaddam	700.0	681.1	692.4	3.7	5.8	0	253
Sripada Yellampalli	485.6	478.5	466.7	14.6	7.82	14610	11789
Veligodu Balancing Reservoir	868.5	834.2	848.1	3.9	8.01	0	405
Somasila	330.0	283.5	319.0	15.4	55.07	394	4734
Kandaleru	278.9	210.8	252.7	8.7	35.42	0	2350

Source: Irrigation Department, A.P. Guntur.

III. CROP SOWINGS

Rabi 2019 -20

The total area sown in the State is 21.92 lakh ha. (96%) as against the normal area of 22.78 lakh ha., and normal as on date is 21.85 lakh ha. (100%).

% of area covered to season Normal		Crops
< 25 %		Coriander.
26% to 50%		Sunflower, Cotton.
51% to 75%		Greengram, Sesamum, Nigerseed.
76% to 100%		Jowar, Blackgram, Chillies, Tobacco.
>100		Paddy, Bajra, Maize, Ragi, Horsegram, Bengalgram, Groundnut, Safflower, Onion.
% of area covered to season Normal	No.of Districts	Name of the Districts
< 25 %	0	NIL
26% to 50%	0	NIL
51% to 75%	0	NIL
76% to 100%	9	Srikakulam, Vizianagaram, Visakhapatnam, East Godavari, West Godavari, Guntur, Prakasam, YSR Kadapa, Kurnool
>100	4	Krishna, SPSR Nellore, Chittoor, Ananthapur

IV. AGRICULTURAL OPERATIONS AND CROP CONDITIONS.

Rabi: Paddy is at transplanting to tillering and panicle initiation stage. Jowar & Ragi crops are at vegetative to flowering stages. Maize is at vegetative to cob formation stage. Blackgram and Greengram crops are at flowering to pod development and harvesting stage. Bengalgram is at flowering to pod development and harvesting stage. Horsegram is at flowering to pod formation stage. Groundnut is at pod development stage. Sunflower is flowering to seed setting stage. Tobacco is at first picking to second picking stage.

V. PESTS AND DISEASES

The pests & diseases on standing crops have been reported below.

Crop	Pest / Diseases	Major Districts Affected	Area Affected (ha.)	Area Treated (ha.)
Paddy	Leaf folder, stem borer, Gall midge, Blast	Chittoor, Prakasam, Guntur, Srikakulam, Visakhapatnam	17315	17284
Jowar	FAW	Guntur	838	838
Maize	FAW, Stem borer, Root rot	Krishna, Vizianagaram, Srikakulam, Prakasam, EG, WG, Guntur	25574	25025
Bengal gram	Helicoverpa, Spodoptera & Sucking pest	Prakasam, Krishna	3620	3620
Greengram	Maruca leaf folder	Guntur	900	850
Blackgram	YMV, Powdery mildew	Guntur, Krishna	7200	7200
Horsegram	Powdery mildew	Prakasam, Vizianagaram	2028	2028
Groundnut	Spodoptera and Aphids	Prakasam, Chittoor	1687	1687
Chillies	Sucking pests, pod borer & leaf curls	Chittoor, Prakasam, Krishna	624	624

PP section of Commissionerate of Agriculture, AP: Guntur.

ANNEXURE - I
DISTRICT-WISE RAINFALL DURING SOUTH-WEST, NORTH-EAST MONSOON AND WINTER PERIOD DURING
THE YEAR FROM 01.06.2019 TO 19.02.2020

(Provisional)

Sl. No.	District	SOUTH-WEST MONSOON			NORTH-EAST MONSOON (October to December)			WINTER PERIOD (January to February)							GRAND TOTAL(1.6.19 to 19.02.20)			
		Season Normal	Actual rainfall (1.6.19 to 30.09.19)	% Deviation to normal	Season Normal	From 1.10.19 to 31.12.19	% Deviation to normal as on date	RAINFALL FOR THE WEEK/PERIOD							Normal as on date	Actual from 1.6.19 to 19.02.20	% deviation to Normal as on date	Status
								Season Normal	Normal As on date	From 1.1.18 to 19.02.18	From 1.1.19 to 19.02.19	From 1.1.20 to 19.02.20	% Deviation to normal as on date	Status				
1	SRIKAKULAM	705.7	728.4	3.2	276.0	308.3	11.7	25.9	16.9	0.0	0.0	33.5	98	Excess	998.6	1070.2	7.2	Normal
2	VIZIANAGARAM	692.7	702.2	1.4	245.9	322.4	31.1	25.4	20.1	0.0	0.1	39.2	95	Excess	958.7	1063.8	11.0	Normal
3	VISAKHAPATNAM	712.5	780.6	9.6	297.2	289.5	-2.6	22.3	16.3	0.0	0.7	23.7	45	Excess	1026.0	1093.8	6.6	Normal
4	EAST GODAVARI	768.1	712.7	-7.2	305.4	264.9	-13.3	19.7	13.6	0.0	7.4	13.4	-1	Normal	1087.1	991.0	-8.8	Normal
5	WEST GODAVARI	792.0	705.2	-11.0	239.3	186.0	-22.3	17.8	13.9	0.0	17.3	15.5	12	Normal	1045.2	906.7	-13.3	Normal
	NORTH-COASTAL	734.2	725.8	-1.1	272.8	274.2	0.5	22.2	16.2	0.0	5.1	25.1	55	Excess	1023.1	1025.1	0.2	Normal
6	KRISHNA	685.1	594.8	-13.2	249.4	178.4	-28.5	15.8	13.5	0.0	17.8	17.6	30	Excess	948.0	790.8	-16.6	Normal
7	GUNTUR	525.8	506.1	-3.7	228.9	161.3	-29.5	18.4	15.1	0.0	9.6	32.2	113	Excess	769.8	699.6	-9.1	Normal
8	PRAKASAM	388.3	378.9	-2.4	393.7	274.6	-30.3	16.3	15.2	0.0	7.7	35.6	134	Excess	797.2	689.1	-13.6	Normal
9	NELLORE	331.4	310.6	-6.3	661.4	513.4	-22.4	19.9	19.2	0.4	9.8	52.3	172	Excess	1012.0	876.3	-13.4	Normal
	SOUTH-COASTAL	482.7	447.6	-7.3	383.4	281.9	-26.5	17.6	15.8	0.1	11.2	34.4	119	Excess	881.8	764.0	-13.4	Normal
	COASTAL A.P	622.4	602.2	-3.3	321.9	277.6	-13.8	20.2	16.0	0.0	7.8	29.2	83	Excess	960.3	909.0	-5.3	Normal
13	CHITTOOR	439.4	509.1	15.9	395.4	283.6	-28.3	12.2	11.5	10.1	8.7	9.1	-21	Deficit	846.3	801.8	-5.3	Normal
12	KADAPA	393.5	362.3	-7.9	251.0	194.0	-22.7	3.4	3.0	1.4	10.9	5.1	70	Excess	647.5	561.4	-13.3	Normal
11	ANANTAPUR	338.4	332.7	-1.7	155.3	182.9	17.8	2.9	2.9	2.1	11.9	0.6	-79	Scanty	496.6	516.2	3.9	Normal
10	KURNOOL	455.1	468.1	2.9	149.5	119.6	-20.0	4.6	4.5	0.4	14.9	1.0	-78	Scanty	609.1	588.7	-3.3	Normal
	RAYALASEEMA	406.6	418.1	2.8	237.8	195.0	-18.0	5.8	5.5	3.5	11.6	3.9	-28	Deficit	649.9	617.0	-5.1	Normal
	ANDHRA PRADESH	556.0	532.8	-4.2	296.0	245.8	-17.0	15.8	12.8	1.4	9.2	19.9	55	Excess	864.8	798.5	-7.7	Normal

Source: Directorate of Economics & Statistics, AP: Vijayawada

Data is provisional & Limits for deviation from Normal

Excess = (+20% & above). Normal=(+19% to -19%), Deficit=(-20% to -59%), Scanty=(-60% to -99%), No rain=(-100%)

**ANNEXURE-II
CROP SOWINGS**

CROP WISE AREA SOWN DURING RABI 2019-20 AS ON 19.02.2020

(Area in lakh hectares)

SL NO	CROP	Targetted area	Normal		During corresponding period		Current year as on 19.02.20	% sown to	
			Season	As on date	Corres. Period as on 19.02.19	Corres. Period as on 19.02.19		Season	As on date
1	PADDY	7.40	6.98	6.57	7.04	6.14	7.75	111%	118%
2	WHEAT	0.00	0.00	0.00	0.00	0.00	0.00	11%	22%
3	JOWAR	1.24	1.14	1.14	1.07	1.39	1.06	93%	93%
4	BAJRA	0.04	0.03	0.03	0.04	0.01	0.039	119%	147%
5	MAIZE	2.43	1.83	1.80	2.23	1.59	1.85	101%	103%
6	RAGI	0.20	0.06	0.06	0.08	0.08	0.07	111%	118%
7	MINOR MILLETS	0.05	0.04	0.03	0.03	0.03	0.03	87%	99%
COARSE GRAINS		3.96	3.10	3.05	3.45	3.09	3.05	98%	100%
8	BENGALGRAM	5.01	4.42	4.41	5.24	4.70	4.44	101%	101%
9	GREENGRAM	1.64	1.29	1.14	0.97	0.99	0.89	69%	78%
10	BLACKGRAM	4.36	3.60	3.48	3.34	2.86	2.74	76%	79%
11	HORSEGRAM	0.25	0.28	0.38	0.27	1.07	0.48	170%	125%
12	OTHER PULSES	0.28	0.23	0.23	0.22	0.29	0.22	94%	93%
TOTAL PULSES		11.53	9.83	9.65	10.04	9.91	8.78	89%	91%
TOTAL FOODGRAINS		22.90	19.91	19.27	20.54	19.14	19.58	98%	102%
13	GROUNDNUT	0.94	0.78	0.75	0.83	0.61	0.79	101%	105%
14	SESAMUM	0.34	0.35	0.24	0.15	0.24	0.22	61%	91%
15	SUNFLOWER	0.22	0.18	0.16	0.07	0.10	0.07	41%	44%
16	SAFFLOWER	0.00	0.00	0.00	0.00	0.00	0.01	469%	557%
17	NIGER SEED	0.00	0.06	0.06	0.06	0.06	0.05	74%	73%
18	RAPE & MUSTARD	0.03	0.04	0.015	0.02	0.02	0.015	38%	96%
19	OTHER OILSEED (Castor, Soyabean, etc.,)	0.10	0.02	0.02	0.01	0.02	0.01	61%	56%
TOTAL OILSEEDS		1.63	1.43	1.25	1.14	1.04	1.16	81%	93%
20	TOBACCO	0.91	0.94	0.94	0.77	0.86	0.83	88%	88%
21	CHILLIES	0.23	0.24	0.25	0.20	0.14	0.19	79%	78%
22	COTTON	0.03	0.05	0.02	0.01	0.02	0.02	47%	92%
23	CORIANDER	0.07	0.15	0.09	0.01	0.02	0.03	20%	34%
24	ONION	0.08	0.05	0.04	0.04	0.04	0.11	202%	280%
TOTAL CROPPED AREA		25.84	22.78	21.85	22.71	21.27	21.92	96%	100%

Source: District Joint Directors of Agriculture
Data is provisional

ANNEXURE-III

DISTRICT WISE AREA SOWN DURING RABI 2019-20 AS ON 19.02.2020

(Area in hectares)

Sl No	DISTRICT	Targetted area	TOTAL AREA SOWN						
			Normal		During			% Sown to	
			Season	As on date	Corres. Period as on 19.02.18	Corres. Period as on 19.02.19	Current year as on 19.02.20	Season Normal	As on Date
1.	Srikakulam	174180	110193	105015	135375	109961	104974	95%	100%
2.	Vizianagaram	82790	70077	62027	70222	40479	57144	82%	92%
3.	Visakhapatnam	42844	37339	35251	37874	30106	31432	84%	89%
4.	East Godavari	235250	223154	201870	199376	197162	192225	86%	95%
5.	West Godavari	282076	277879	264917	259571	253603	250059	90%	94%
6.	Krishna	219900	200592	202517	211309	205598	203423	101%	100%
7	Guntur	227008	199016	196926	208119	189788	182897	92%	93%
8.	Prakasam	299535	255781	249861	229198	253377	239617	94%	96%
9.	SPSR Nellore	307655	234049	218508	232075	166032	252674	108%	116%
10	Chittoor	69132	73636	83500	86994	139245	97235	132%	116%
11	YSR Kadapa	175036	168286	159562	165317	161130	151582	90%	95%
12	Anantapur	133897	114193	103933	116354	117264	153259	134%	147%
13	Kurnool	334612	313508	301282	318999	262835	275371	88%	91%
ANDHRA PRADESH		2583915	2277703	2185168	2270783	2126580	2191892	96%	100%

ANNEXURE-IV

DISTRICT/CROP WISE AREA SOWN DURING RABI 2019-20 AS ON 19.02.2020

(Area in hectare)

SI No	DISTRICT	1. PADDY						2. Wheat						3. Jowar					
		Normal		Last year	Current Year	% sown to		Normal		Last year	Current Year	% sown to		Normal		Last year	Current Year	% sown to	
		Season	As on date			Season normal	Normal as on date	Season	As on date			Season normal	Normal as on date	Season	As on date			Season normal	Normal as on date
1.	Srikakulam	3829	2964	4158	7136	186%	241%	0	0	0	0	0%	0%	1	1	0	0	0%	0%
2.	Vizianagaram	4031	2608	1312	4904	122%	188%	0	0	0	0	0%	0%	3	3	0	0	0%	0%
3.	Visakhapatnam	4646	3190	1840	4383	94%	137%	0	0	0	0	0%	0%	1	1	0	0	0%	0%
4.	East Godavari	161932	161194	161847	161183	100%	100%	0	0	0	0	0%	0%	1631	1602	1726	1441	88%	90%
5.	West Godavari	171490	168931	169632	168165	98%	100%	0	0	0	0	0%	0%	39	20	0	0	0%	0%
6.	Krishna	25830	22434	26658	51063	198%	228%	0	0	0	0	0%	0%	569	608	218	161	28%	26%
7.	Guntur	18713	17840	29332	23659	126%	133%	0	0	0	0	0%	0%	23340	23237	30743	34808	149%	150%
8.	Prakasam	36360	35369	36873	49523	136%	140%	0	0	0	0	0%	0%	13705	13509	20036	8239	60%	61%
9.	SPSR Nellore	182140	170100	131292	208416	114%	123%	0	0	0	0	0%	0%	1555	1474	1905	893	57%	61%
10.	Chittoor	41281	39003	28080	45606	110%	117%	0	1	0	0	0%	0%	4	31	155	510	12750%	1645%
11.	YSR Kadapa	12480	9881	4061	7110	57%	72%	4	1	0	5	125%	625%	11765	11527	16737	13571	115%	118%
12.	Anantapur	10547	7420	7085	13430	127%	181%	15	7	0	9	60%	129%	4696	4630	3337	5637	120%	122%
13.	Kurnool	25119	16202	12093	30718	122%	190%	113	56	101	0	0%	0%	56397	56987	63648	40739	72%	71%
ANDHRA PRADESH		698398	657134	614263	775296	111%	118%	132	65	101	14	11%	22%	113706	113630	138505	105999	93%	93%

DISTRICT/CROP WISE AREA SOWN DURING RABI 2019-20 AS ON 19.02.2020

(Area in hectare)

SI No	DISTRICT	4. Bajra						5. Maize						6. Ragi					
		Normal		Last year	Current Year	% sown to		Normal		Last year	Current Year	% sown to		Normal		Last year	Current Year	% sown to	
		Season	As on date			Season normal	Normal as on date	Season	As on date			Season normal	Normal as on date	Season	As on date			Season normal	Normal as on date
1.	Srikakulam	0	0	0	0	0%	0%	10924	10394	14298	18460	169%	178%	1972	1943	3558	2968	151%	153%
2.	Vizianagaram	0	0	0	0	0%	0%	17052	16315	14565	17940	105%	110%	696	610	883	414	59%	68%
3.	Visakhapatnam	0	0	0	0	0%	0%	1087	988	551	503	46%	51%	275	194	303	236	86%	122%
4.	East Godavari	1	0	0	0	0%	0%	10331	10134	9231	7350	71%	73%	1	2	2	0	0%	0%
5.	West Godavari	0	0	0	0	0%	0%	53311	52396	46364	48486	91%	93%	1	0	0	0	0%	0%
6.	Krishna	0	0	0	0	0%	0%	18716	18443	17406	17685	94%	96%	0	0	0	0	0%	0%
7.	Guntur	26	9	0	18	69%	200%	44906	45166	35812	47309	105%	105%	507	675	880	1091	215%	162%
8.	Prakasam	657	623	25	311	47%	50%	10540	10139	4147	9176	87%	90%	832	796	375	559	67%	70%
9.	SPSR Nellore	28	25	1	67	239%	270%	719	643	463	229	32%	36%	57	49	41	8	14%	16%
10.	Chittoor	1	4	0	0	0%	0%	889	1290	1913	1366	154%	106%	734	703	1237	734	100%	104%
11.	YSR Kadapa	2303	1743	763	3167	138%	182%	2529	2440	3360	1860	74%	76%	118	73	35	60	51%	82%
12.	Anantapur	28	21	10	23	82%	112%	4146	3800	3427	4179	101%	110%	883	669	797	650	74%	97%
13.	Kurnool	185	205	40	270	146%	132%	8248	7460	7332	10419	126%	140%	0	0	0	0	0%	0%
ANDHRA PRADESH		3229	2630	839	3856	119%	147%	183398	179608	158869	184962	101%	103%	6076	5713	8111	6720	111%	118%

DISTRICT/CROP WISE AREA SOWN DURING RABI 2019-20 AS ON 19.02.2020

(Area in hectare)

SI No	DISTRICT	7. Minor Millets						I. COARSE GRAINS						8. Bengalgram					
		Normal		Last year	Current Year	% sown to		Normal		Last year	Current Year	% sown to		Normal		Last year	Current Year	% sown to	
		Season	As on date			Season normal	Normal as on date	Season	As on date			Season normal	Normal as on date	Season	As on date			Season normal	Normal as on date
1.	Srikakulam	0	21	104	5	0%	24%	12897	12360	17960	21433	166%	173%	0	0	0	0	0%	0%
2.	Vizianagaram	0	0	0	0	0%	0%	17751	16928	15448	18354	103%	108%	130	127	55	97	75%	76%
3.	Visakhapatnam	0	0	0	0	0%	0%	1363	1183	854	739	54%	62%	98	146	166	54	55%	37%
4.	East Godavari	0	1	0	0	0%	0%	11964	11740	10959	8791	73%	75%	1203	1198	2373	1944	162%	162%
5.	West Godavari	0	0	0	0	0%	0%	53351	52416	46364	48486	91%	93%	29	27	23	6	21%	22%
6.	Krishna	0	0	0	0	0%	0%	19285	19050	17624	17846	93%	94%	1784	1640	2915	3170	178%	193%
7.	Guntur	48	11	56	167	348%	1491%	68827	69098	67491	83393	121%	121%	20169	20500	24779	15187	75%	74%
8.	Prakasam	2827	2764	2201	2493	88%	90%	28561	27831	26784	20778	73%	75%	88469	87647	107459	86188	97%	98%
9.	SPSR Nellore	2	0	0	51	2550%	0%	2361	2191	2410	1248	53%	57%	9025	8695	10447	10118	112%	116%
10.	Chittoor	1	0	0	58	5800%	0%	1629	2028	3305	2668	164%	132%	3	1	2	0	0%	0%
11.	YSR Kadapa	411	206	113	192	47%	93%	17126	15989	21008	18850	110%	118%	85615	84553	101048	91845	107%	109%
12.	Anantapur	33	140	33	29	88%	21%	9786	9259	7604	10518	107%	114%	63900	63182	74903	86525	135%	137%
13.	Kurnool	353	86	63	212	60%	247%	65183	64738	71083	51640	79%	80%	171217	172881	145908	149310	87%	86%
ANDHRA PRADESH		3675	3229	2570	3207	87%	99%	310084	304811	308894	304744	98%	100%	441642	440597	470078	444444	101%	101%

DISTRICT/CROP WISE AREA SOWN DURING RABI 2019-20 AS ON 19.02.2020

(Area in hectare)

SI No	DISTRICT	9. Greengram						10. Blackgram						11. Horsegram					
		Normal		Last year	Current Year	% sown to		Normal		Last year	Current Year	% sown to		Normal		Last year	Current Year	% sown to	
		Season	As on date			Season normal	Normal as on date	Season	As on date			Season normal	Normal as on date	Season	As on date			Season normal	Normal as on date
1.	Srikakulam	32399	31653	29548	25423	78%	80%	45362	44863	43887	39915	88%	89%	2942	2842	2378	2317	79%	82%
2.	Vizianagaram	14720	14577	7481	12384	84%	85%	20549	20222	10618	18024	88%	89%	3895	3945	2601	1849	47%	47%
3.	Visakhapatnam	3327	3351	1953	2469	74%	74%	5936	6276	4370	5211	88%	83%	931	1052	779	566	61%	54%
4.	East Godavari	16389	8083	6278	5368	33%	66%	23548	12500	8966	7559	32%	60%	47	34	12	174	370%	506%
5.	West Godavari	11397	7509	8264	7775	68%	104%	13737	7638	4692	4495	33%	59%	57	61	39	25	44%	41%
6.	Krishna	7125	7461	7860	4905	69%	66%	141469	146258	145281	123442	87%	84%	891	1283	1225	282	32%	22%
7.	Guntur	31223	29311	29830	22212	71%	76%	48588	48832	29424	30696	63%	63%	9	14	69	5	56%	36%
8.	Prakasam	1068	753	612	557	52%	74%	20309	19985	14015	11466	56%	57%	590	576	1324	1063	180%	185%
9.	SPSR Nellore	5624	4940	2278	4426	79%	90%	16173	15991	6996	15606	96%	98%	303	261	448	443	146%	169%
10.	Chittoor	383	412	383	190	50%	46%	2981	3201	4246	3550	119%	111%	10943	21101	84815	27195	249%	129%
11.	YSR Kadapa	3811	3876	2449	2271	60%	59%	7182	7448	3001	2221	31%	30%	3339	3387	6947	3650	109%	108%
12.	Anantapur	576	712	1585	97	17%	14%	59	44	24	23	39%	52%	4250	3746	6327	10622	250%	284%
13.	Kurnool	1165	1628	313	786	67%	48%	14294	14679	10574	12246	86%	83%	229	191	203	28	12%	15%
ANDHRA PRADESH		129207	114263	98834	88863	69%	78%	360187	347935	286094	274454	76%	79%	28426	38492	107167	48219	170%	125%

DISTRICT/CROP WISE AREA SOWN DURING RABI 2019-20 AS ON 19.02.2020

(Area in hectare)

SI No	DISTRICT	12. Other Pulses (Redgram, Cowgram etc.)						II. TOTAL PULSES						III. TOTAL FOODGRAINS					
		Normal		Last year	Current Year	% sown to		Normal		Last year	Current Year	% sown to		Normal		Last year	Current Year	% sown to	
		Season	As on date			Season normal	Normal as on date	Season	As on date			Season normal	Normal as on date	Season	As on date			Season normal	Normal as on date
1.	Srikakulam	15	114	11	4	27%	4%	80718	79472	75824	67659	84%	85%	97444	94796	97942	96228	99%	102%
2.	Vizianagaram	7	9	2	2	29%	23%	39301	38879	20757	32356	82%	83%	61083	58416	37517	55614	91%	95%
3.	Visakhapatnam	10182	10502	10890	10740	105%	102%	20474	21326	18158	19040	93%	89%	26483	25699	20852	24162	91%	94%
4.	East Godavari	228	198	51	70	31%	35%	41415	22014	17680	15115	36%	69%	215311	194948	190486	185089	86%	95%
5.	West Godavari	398	345	91	194	49%	56%	25618	15579	13109	12495	49%	80%	250459	236926	229105	229146	91%	97%
6.	Krishna	32	79	322	56	175%	71%	151301	156721	157603	131855	87%	84%	196416	198205	201885	200764	102%	101%
7.	Guntur	1388	1181	881	1509	109%	128%	101377	99837	84983	69609	69%	70%	188917	186775	181806	176661	94%	95%
8.	Prakasam	7798	7752	10575	5925	76%	76%	118234	116712	133985	105199	89%	90%	183155	179912	197642	175500	96%	98%
9.	SPSR Nellore	214	213	215	340	159%	159%	31339	30100	20384	30933	99%	103%	215840	202390	154086	240597	111%	119%
10.	Chittoor	105	276	842	512	488%	186%	14415	24990	90288	31447	218%	126%	57325	66022	121673	79721	139%	121%
11.	YSR Kadapa	864	876	1454	1068	124%	122%	100811	100140	114899	101055	100%	101%	130421	126011	139968	127020	97%	101%
12.	Anantapur	315	324	1224	84	27%	26%	69100	68009	84063	97351	141%	143%	89448	84695	98752	121308	136%	143%
13.	Kurnool	1704	1523	2207	1256	74%	82%	188609	190901	159205	163626	87%	86%	279024	271898	242482	245984	88%	90%
ANDHRA PRADESH		23250	23393	28765	21760	94%	93%	982712	964681	990938	877740	89%	91%	1991326	1926691	1914196	1957794	98%	102%

DISTRICT/CROP WISE AREA SOWN DURING RABI 2019-20 AS ON 19.02.2020

(Area in hectare)

SI No	DISTRICT	13. Groundnut						14. Sesamum (gingelly)						15. Sunflower					
		Normal		Last year	Current Year	% sown to		Normal		Last year	Current Year	% sown to		Normal		Last year	Current Year	% sown to	
		Season	As on date			Season normal	Normal as on date	Season	As on date			Season normal	Normal as on date	Season	As on date			Season normal	Normal as on date
1.	Srikakulam	4532	4369	4232	3454	76%	79%	5901	3813	6896	4096	69%	107%	724	507	447	369	51%	73%
2.	Vizianagaram	1429	1498	1036	454	32%	30%	6416	1070	1307	648	10%	61%	4	7	10	2	50%	27%
3.	Visakhapatnam	609	598	352	487	80%	81%	3161	2079	2894	1957	62%	94%	121	108	52	21	17%	19%
4.	East Godavari	249	151	207	131	53%	87%	2433	2007	2159	1719	71%	86%	176	188	270	174	99%	93%
5.	West Godavari	2155	2179	1302	891	41%	41%	514	366	251	35	7%	10%	170	145	83	69	41%	48%
6.	Krishna	719	675	380	557	77%	83%	515	422	421	203	39%	48%	13	9	0	15	115%	160%
7.	Guntur	2949	2735	2176	2693	91%	98%	474	814	64	79	17%	10%	29	37	52	0	0%	0%
8.	Prakasam	2105	2053	861	1442	69%	70%	4534	3882	2445	3864	85%	100%	2588	2582	618	410	16%	16%
9.	SPSR Nellore	3849	3480	2676	2953	77%	85%	2976	2561	2198	1262	42%	49%	414	394	197	35	8%	9%
10.	Chittoor	12069	13268	12281	13628	113%	103%	792	864	1202	673	85%	78%	840	782	555	493	59%	63%
11.	YSR Kadapa	15427	14224	10042	12044	78%	85%	6486	5014	3947	6209	96%	124%	7825	7375	5396	3748	48%	51%
12.	Anantapur	18185	17074	15889	26526	146%	155%	2	0	0	28	1400%	0%	1647	1582	1112	1697	103%	107%
13.	Kurnool	13669	12377	9071	13261	97%	107%	1067	857	419	809	76%	94%	2954	2781	942	196	7%	7%
ANDHRA PRADESH		77946	74681	60505	78521	101%	105%	35271	23748	24203	21582	61%	91%	17505	16498	9734	7229	41%	44%

DISTRICT/CROP WISE AREA SOWN DURING RABI 2019-20 AS ON 19.02.2020

(Area in hectare)

SI No	DISTRICT	16. Saflower						17. Rape & Mustard						18. Other Oil seeds (Castor, Soyabean etc.)					
		Normal		Last year	Current Year	% sown to		Normal		Last year	Current Year	% sown to		Normal		Last year	Current Year	% sown to	
		Season	As on date			Season normal	Normal as on date	Season	As on date			Season normal	Normal as on date	Season	As on date			Season normal	Normal as on date
1.	Srikakulam	0	0	0	0	0%	0%	0	0	0	0	0%	0%	91	0	0	0	0%	0%
2.	Vizianagaram	0	0	0	0	0%	0%	0	0	0	0	0%	0%	65	0	0	0	0%	0%
3.	Visakhapatnam	6	0	0	0	0%	0%	0	0	0	0	0%	0%	75	0	0	0	0%	0%
4.	East Godavari	0	0	0	0	0%	0%	0	0	0	0	0%	0%	50	0	0	0	0%	0%
5.	West Godavari	0	0	0	0	0%	0%	10	0	0	40	400%	0%	0	0	0	0	0%	0%
6.	Krishna	0	0	0	0	0%	0%	625	418	323	177	28%	42%	5	0	0	0	0%	0%
7.	Guntur	0	0	0	0	0%	0%	131	83	0	0	0%	0%	174	225	178	32	18%	14%
8.	Prakasam	1	0	0	4	400%	0%	30	29	8	6	20%	21%	1159	845	1075	732	63%	87%
9.	SPSR Nellore	0	0	0	0	0%	0%	15	0	0	0	0%	0%	2	2	8	0	0%	0%
10.	Chittoor	0	0	0	0	0%	0%	0	0	0	0	0%	0%	0	0	0	0	0%	0%
11.	YSR Kadapa	114	125	218	158	139%	126%	0	2	0	0	0%	0%	25	17	79	275	1100%	1599%
12.	Anantapur	111	103	52	1158	1043%	1120%	0	0	0	0	0%	0%	101	34	10	105	104%	313%
13.	Kurnool	71	27	71	102	144%	383%	3126	1007	1220	1258	40%	125%	211	1008	333	59	28%	6%
ANDHRA PRADESH		303	255	341	1422	469%	557%	3937	1539	1551	1481	38%	96%	1958	2130	1683	1203	61%	56%

DISTRICT/CROP WISE AREA SOWN DURING RABI 2019-20 AS ON 19.02.2020

(Area in hectare)

SI No	DISTRICT	19.Nigerseed						IV. TOTAL OIL SEEDS						20. Tobacco					
		Normal		Last year	Current Year	% sown to		Normal		Last year	Current Year	% sown to		Normal		Last year	Current Year	% sown to	
		Season	As on date			Season normal	Normal as on date	Season	As on date			Season normal	Normal as on date	Season	As on date			Season normal	Normal as on date
1.	Srikakulam	0	0	0	0	0%	0%	11248	8689	11575	7919	70%	91%	0	0	0	0	0%	0%
2.	Vizianagaram	19	17	2	0	0%	0%	7933	2593	2355	1104	14%	43%	206	212	78	51	25%	24%
3.	Visakhapatnam	6227	6250	5750	4592	74%	73%	10199	9036	9048	7057	69%	78%	61	43	16	8	13%	18%
4.	East Godavari	0	0	0	0	0%	0%	2908	2345	2636	2024	70%	86%	2232	1840	1908	2124	95%	115%
5.	West Godavari	0	0	0	0	0%	0%	2849	2689	1636	1035	36%	38%	22672	23579	22043	18791	83%	80%
6.	Krishna	0	0	0	0	0%	0%	1877	1525	1124	952	51%	62%	1609	1910	2003	1168	73%	61%
7.	Guntur	0	0	0	0	0%	0%	3757	3894	2470	2804	75%	72%	3152	3045	4812	2717	86%	89%
8.	Prakasam	1	0	0	0	0%	0%	10418	9390	5007	6458	62%	69%	50987	50470	45395	47949	94%	95%
9.	SPSR Nellore	0	0	0	0	0%	0%	7256	6436	5079	4250	59%	66%	6759	6688	4431	5810	86%	87%
10.	Chittoor	0	0	0	0	0%	0%	13701	14914	14038	14794	108%	99%	10	8	0	0	0%	0%
11.	YSR Kadapa	0	0	0	0	0%	0%	29877	26756	19682	22434	75%	84%	22	18	74	0	0%	0%
12.	Anantapur	0	0	0	0	0%	0%	20046	18794	17063	29514	147%	157%	123	99	11	0	0%	0%
13.	Kurnool	0	0	0	0	0%	0%	21098	18057	12056	15685	74%	87%	5741	5719	5053	3960	69%	69%
ANDHRA PRADESH		6247	6267	5752	4592	74%	73%	143167	125119	103769	116030	81%	93%	93574	93632	85824	82578	88%	88%

DISTRICT/CROP WISE AREA SOWN DURING RABI 2019-20 AS ON 19.02.2020

(Area in hectare)

Sl No	DISTRICT	21. Chillies						22. Cotton						23. Coriander						24. Onion					
		Normal		Last year	Current Year	% sown to		Normal		Last year	Current Year	% sown to		Normal		Last year	Current Year	% sown to		Normal		Last year	Current Year	% sown to	
		Season	As on date			Season normal	Normal as on date	Season	As on date			Season normal	Normal as on date	Season	As on date			Season normal	Normal as on date	Season	As on date			Season normal	Normal as on date
1.	Srikakulam	1156	1194	404	673	58%	56%	0	0	0	0	0%	0%	0	0	0	0	0%	0%	345	336	40	154	45%	46%
2.	Vizianagaram	717	679	454	314	44%	46%	0	0	0	0	0%	0%	0	0	0	0	0%	0%	138	127	75	61	44%	48%
3.	Visakhapatnam	489	415	167	170	35%	41%	0	0	0	0	0%	0%	4	0	0	0	0%	0%	103	58	23	35	34%	61%
4.	East Godavari	2665	2735	2132	2964	111%	108%	0	0	0	0	0%	0%	30	0	0	0	0%	0%	8	1	0	24	300%	2000%
5.	West Godavari	1898	1722	819	1087	57%	63%	0	0	0	0	0%	0%	1	0	0	0	0%	0%	0	0	0	0	0%	0%
6.	Krishna	687	877	586	527	77%	60%	0	0	0	0	0%	0%	0	0	0	0	0%	0%	3	0	0	12	400%	0%
7.	Guntur	3072	3134	678	695	23%	22%	25	0	0	0	0%	0%	0	0	0	0	0%	0%	93	77	22	20	22%	26%
8.	Prakasam	9725	9670	5100	8706	90%	90%	657	388	232	906	138%	234%	810	11	0	26	3%	236%	29	21	1	72	248%	350%
9.	SPSR Nellore	1602	1554	923	1603	100%	103%	2508	1440	1513	372	15%	26%	81	0	0	8	10%	0%	3	0	0	34	1133%	0%
10.	Chittoor	1816	2113	2292	1771	98%	84%	355	94	83	52	15%	55%	182	130	651	602	331%	462%	247	218	508	295	119%	135%
11.	YSR Kadapa	125	126	256	332	266%	264%	719	333	317	781	109%	234%	5883	5420	66	177	3%	3%	1239	898	767	838	68%	93%
12.	Anantapur	195	60	301	89	46%	148%	376	66	43	52	14%	79%	3537	142	711	1114	31%	783%	468	77	383	1182	253%	1543%
13.	Kurnool	351	457	233	423	121%	92%	2	37	3	12	600%	33%	4514	2988	440	1020	23%	34%	2778	2125	2568	8287	298%	390%
ANDHRA PRADESH		24498	24737	14345	19354	79%	78%	4642	2359	2191	2175	47%	92%	15042	8692	1868	2947	20%	34%	5454	3938	4387	11014	202%	280%